


HempFlax[®] Fibre Mats

*Made from 100 per cent pure
natural hemp fibre*

- insulation for construction finishings
- underlay for hard and soft floors
- bottom layer for upholstery
- geo-fabric
- decontamination on farms
- drainage



HempFlax bv

produktie en verwerking van vezels uit hennep en vlas
production and processing of fibers from hemp and flax



Nature wins!



Durable felt mats for the construction finishing sector, the furniture industry, interior decoration and furnishings, forestry and agriculture plus innumerable other applications.

HempFlax Fibre Mats are made from 100 per cent pure natural hemp fibre. The raw fibre is processed completely mechanically, without any chemical agents.

The strong hemp fibre is carded and needled which results in a high-quality non-woven. Fibre mats are supplied on rolls in several thicknesses and densities. If required, substances for special applications can be added during the production process.

By its very nature hemp fibre absorbs a lot of moisture and insulates excellently against heat, cold and sound. HempFlax Fibre Mats are easy to use, for professionals as well as for DIY enthusiasts. Hemp felt is easily cut to size. After use, HempFlax Fibre Mats are completely biodegradable.

HempFlax Fibre Mats can be used for many purposes.

- insulation for construction finishings
- underlay for hard and soft floors
- bottom layer for upholstery
- geo-fabric
- decontamination on farms
- drainage

HempFlax Fibre Mats are supplied in standard rolls in several sizes, thicknesses and densities.

Fibre mats in other thicknesses and widths can be manufactured on request.

For ordering samples or HempFlax Fibre Mats please contact our sales department.

HempFlax Fibre Mats are supplied in the following standard dimensions:

width	thickness	roll length	weight per m ²
100 cm	2.5 mm	30 m	350 g/m ²
100 cm	5.0 mm	15 m	650 g/m ²
100 cm	7.0 mm	15 m	850 g/m ²
100 cm	10.0 mm	15 m	1350 g/m ²
100 cm	13.0 mm	10 m	1800 g/m ²

HempFlax Fibre Mats strips:

width	thickness	roll length	weight per m ²
10 cm	2.5 mm	30 m	350 g/m ²
10 cm	5.0 mm	30 m	650 g/m ²
10 cm	7.0 mm	15 m	850 g/m ²
10 cm	10.0 mm	15 m	1350 g/m ²
10 cm	13.0 mm	10 m	1800 g/m ²

HempFlax Fibre Mats geo-fabric:

width	thickness	roll length	weight per m ²
200 cm	10.0 mm	50 m	1100 g/m ²
200 cm	8.0 mm	50 m	750 g/m ²

HempFlax

PO Box 142, 9665 ZJ Oude-Pekela, The Netherlands

tel +31 0 597 615 478

fax +31 0 597 615 951

website www.hempflax.com

e-mail info@hempflax.com



Nature wins!